

TIMBER

5
COLORES

TILO · MINDI · ACACIA
BAYUR · EBANO

4
FORMATOS

21x60 · 8"x23,6"
10,5x60 · 4"x23,6"
28,5x32,5 · 11,2"x12,7"
21,5x30 · 8,4"x11,8"

2
SUPERFICIES

fine **RESISTANCE** ▶ **R12 - Class III**

Comfort floor ▶ **R9 - Class II**

4
PIEZAS
ESPECIALES

ÁNGULO PELDAÑO ANGULAR
PELDAÑO ANGULAR
ZÓCALO · ZANQUÍN

EVOLUTION
EXTRUDED PORCELAIN TILE

in>Klinker
C E R A M I C S

in & out
INTERIOR · EXTERIOR

NATUCER

ÉBANO
R9 · CLASS II

BAYUR
R9 · CLASS II

ACACIA
R9 · CLASS II

TILO
R9 · CLASS II

MINDI
R9 · CLASS II

**HEXAG.
IRREG.**
R9 · CLASS II

HEXAG.
R12 · CLASS III

SUPERFICIE	 RESISTE LA FLEXIÓN	 RESISTE EL DESGASTE	 RESISTE EL RAYADO	 ANTIDESLIZANTE	 ANTID. TORTUS	 MANCHAS	 ABSORCIÓN	 DILATACIÓN
fine RESISTANCE	33 N / mm ²	PEI (III)	MOHS - 8	Class III - R 12	0,96 - 0,91	Class 5 - class A	0,1%	6,6° 10° / °C
<i>Comfort floor</i>	31 N / mm ²	PEI (II - III)	MOHS - 6	Class II - R 9	0,69 - 0,53	Class 5 - class A	0,1%	6,6° 10° / °C

28,5X32,5 TIMBER

TIMBER HEX. MINDI - 28,5 x 32,5
TIMBER HEX. ABARCO ACACIA - 28,5 x 32,5

fine **RESISTANCE**
R12 - Class III





TIMBER HEXAG. IRREGULAR ÉBANO • 21,5 x 30
TIMBER HEXAG. IRREGULAR TILO • 21,5 x 30
TIMBER HEXAG. IRREGULAR BAYUR • 21,5 x 30

Comfort floor
R9 - Class II

TIMBER ACACIA • 21 x 60
TIMBER ACACIA • 10,5 x 60
PELDAÑO ANGULAR TIMBER ACACIA R9 • 32 x 32/4



Comfort floor
R9 - Class II



10,5X60

TIMBER

TIMBER BAYUR 10,5 x 60

Comfort floor
R9 - Class II

TIMBER

EVOLUTION
EXTRUDED PORCELAIN TILE

inklinker
new life

in & out
INTERIOR - EXTERIOR

EXTERIOR CLASS III
UNE-EN 12693:2003

INTERIOR CLASS II
UNE-EN 12693:2003

PE GRES EXTRUÍDO PORCELÁNICO
PORCELAIN EXTRUDED TILE

PAVIMENTO DE EXTERIOR
OUTDOOR FLOOR TILE

RESISTENCIA A LA HELADA
FROST PROOF

Bajo mantenimiento
LOW MAINTENANCE

DESIGNIFICADO ARMADO
CONTROLLED DISTORTION

PAVIMENTO DE INTERIOR
INDOOR FLOOR TILE

RESISTENTE AL DESGASTE
WEAR RESISTANCE

RESISTENCIA AL RAYADO
SCRATCH RESISTANCE

SUPERFICIE MATE
MATTE SURFACE

- 5 COLORES
- 4 FORMATOS
- 2 SUPERFICIES
- 4 PIEZAS ESPECIALES

TILO · MINDI · ACACIA · BAYUR · EBANO

21x60 · 8"x23,6" · 10,5x60 · 4"x23,6" · 28,5x32,5 · 11,2"x12,7" · 21,5x30 · 8,4"x11,8"

fine **RESISTANCE** R12-Class III · *Comfort floor* R9-Class II

ÁNG. PELDAÑO ANGULAR · PELDAÑO ANGULAR · ZÓCALO · ZANQUÍN

TIMBER TILO



TIMBER BAYUR



TIMBER MINDI



TIMBER ACACIA



TIMBER ÉBANO



MADE IN SPAIN

www.natucer.es

TIMBER

EVOLUTION
EXTRUDED PORCELAIN TILE

in|klinker
NEW FLOOR

in & out
INTERIOR - EXTERIOR

EXTERIOR CLASS III
UNE-EN 12633:2003

INTERIOR CLASS II
UNE-EN 12633:2003

fine **RESISTANCE** · R12 - Clase III



TIMBER HEXAG. TILO
28,5 x 32,5 (G-39) 11,2" x 12,7"
m



TIMBER HEXAG. ACACIA
28,5 x 32,5 (G-39) 11,2" x 12,7"
m



TIMBER HEXAG. BAYUR
28,5 x 32,5 (G-39) 11,2" x 12,7"
m



TIMBER HEXAG. ÉBANO
28,5 x 32,5 (G-39) 11,2" x 12,7"
m



TIMBER HEXAG. MINDI
28,5 x 32,5 (G-39) 11,2" x 12,7"
m



TIMBER HEX. ABARCO ACACIA
28,5 x 32,5 (G-27) 11,2" x 12,7"
m



TIMBER HEX. ABARCO BAYUR
28,5 x 32,5 (G-27) 11,2" x 12,7"
m


PIEZAS ESPECIALES · SPECIAL PIECES Disponible en todos los colores · Available in all colors




PELDAÑO ANG. R9
32 x 32/4 (G 17) 13" x 13"
♦



ÁNGULO PELDAÑO ANG. R9
32 x 46/4 (G 18x2PZ) 13" x 18"
♦



ZÓCALO R9
9 x 30 (G 06) 4" x 11,8"
♦



ZANQUÍN R9
9 x 30 (G 09) 4" x 11,8"
♦

PACKING BASES

FORMATO	PULGADAS	PZ/CAJA	M ²	CAJA/PLT	PESO/CAJA	PESO/PLT
28,5 x 32,5	11,2" x 12,7"	15	1,05	46	21,9	1.019
21 x 60	8" x 23,6"	8	1	72	23,17	1.682
10,5 x 60	4" x 23,6"	16	1	72	23,17	1.682
21,5 x 30	8,4" x 11,8"	21	1	50	21,35	1.080

PACKING PIEZAS ESPECIALES

FORMATO	PULGADAS	PZ/CAJA	ML	CAJA/PLT	PESO/CAJA	PESO/PLT
PELDAÑO ANG. 32 x 32/4	13" x 13"	6	1,92	44	16,18	725
ANG. PELDAÑO 32 x 46/4	13" x 18"	2	0,32	90	3,16	307
ZÓCALO 9 x 30	4" x 11,8"	30	9	48	19,60	955
ZANQUÍN 9 x 30	4" x 11,8"	30	9	48	19,60	955

MADE IN SPAIN

TIMBER

PE GRES EXTRUSIONADO PORCELÁNICO
PORCELAIN EXTRUDED TILE

DESTRONCADO ARMONIZADO
CONTROLLED DESTONIFICATION

PAVIMENTO DE EXTERIOR
OUTDOOR FLOOR TILE

PAVIMENTO DE INTERIOR
INDOOR FLOOR TILE

RESISTENCIA A LA HELADA
FROST PROOF

RESISTENTE AL DESGASTE
WEAR RESISTANCE

SIN MANTENIMIENTO
NO MAINTENANCE

RESISTENCIA AL RAYADO
SCRATCH RESISTANCE

SUPERFICIE MATE
MATT SURFACE

Comfort floor · R9 - Clase II



TIMBER HEXAG. IRREG. TILO
21,5 x 30 (G-39) 8,4" x 11,8"
m



TIMBER HEXAG. IRREG. BAYUR
21,5 x 30 (G-39) 8,4" x 11,8"
m




TIMBER HEXAG. IRREG. MINDI
21,5 x 30 (G-39) 8,4" x 11,8"
m



TIMBER HEXAG. IRREG. ACACIA
21,5 x 30 (G-39) 8,4" x 11,8"
m



TIMBER HEXAG. IRREG. ÉBANO
21,5 x 30 (G-39) 8,4" x 11,8"
m



TIMBER HEX. IRREG. KUBIK
21,5 x 30 (G-27) 8,4" x 11,8"
m



TIMBER HEX. IRREG. CROSS
21,5 x 30 (G-27) 8,4" x 11,8"
m



TIMBER MINDI
21 x 60 (G-57) 8" x 23,6"
10,5 x 60 (G-39) 4" x 23,6"
m



TIMBER ACACIA
21 x 60 (G-57) 8" x 23,6"
10,5 x 60 (G-39) 4" x 23,6"
m



TIMBER TILO
21 x 60 (G-57) 8" x 23,6"
10,5 x 60 (G-39) 4" x 23,6"
m



TIMBER BAYUR
21 x 60 (G-57) 8" x 23,6"
10,5 x 60 (G-39) 4" x 23,6"
m



TIMBER ÉBANO
21 x 60 (G-57) 8" x 23,6"
10,5 x 60 (G-39) 4" x 23,6"
m

www.natucer.es